

StoneGate™ SSL-6000 Specifications

Appliance

Concurrent users	Up to 5000
Network Interfaces	4 x standard interfaces 10/100 copper
In addition	2 x interfaces 1000Base-SX fiber
Mechanics	4 x USB ports, 1 x serial port 3U-19" rack unit 450 x 132 x 647mm 17,7" x 5,2" x 25.5" 32,7kg/72,09lbs 760W, 100-240V, 50-60Hz, 14/7 Amp, hot swappable redundant PSUs RAID HDD, easily replaceable fans, heavy-duty construction

Portal Software

Access control

Access privileges can be based on	Authentication Method User Group Membership IP Address of Incoming Client Client Devices User Storage Assessment Abolishment
-----------------------------------	--

Integrated StoneGate Authentication

Mobile Text	One-time password (OTP) distributed via SMS
Web	Java applet or ActiveX component is launched prompting the password Password is hashed and encrypted before it is returned
Challenge	Response is generated with Mobile ID software using PIN OTP: Seed + PIN + Challenge
Synchronized	Response is generated with Mobile ID software using PIN OTP synchronized between the client and server
Password	Static password authentication
Integrates also to	SafeWorld, SecurID, LDAP Active Directory, User Certificate, NTLM, Basic, General RADIUS, Extended User Bind, Form Based Authentication, Windows Integrated Login, BankID, BankID Signer
Supports identity federation	SAML 2.0 and ADFS

Encryption

TLS v 1.0, SSL v 2.0, SSL v 3.0, AES-128, AES-256, DES, 3DES, RC2-128, RC4-128

Applications

All web applications	
Virtually all IP (TCP/UDP) based client-server applications	Dynamically and automatically downloaded Access Client, Access Client delivery via Java or ActiveX

Preconfigured applications

Outlook Web Access 2000
Outlook Web Access 2003
Domino Web Access 6.5
Citrix MetaFrame Presentation Server
Terminal Server 2003
Terminal Server 2000
MS Outlook Client 2000/2003
File Sharing
Access to Home Directory

Management

Wizard-driven Web console for all the administrating tasks	Delegated management <ul style="list-style-type: none">• Shifts administration rights from one organizational level/department to a lower one Multi-domain support <ul style="list-style-type: none">• Domain customization for user portal with central administration Real-time alerts <ul style="list-style-type: none">• Threshold-based triggers and alerts for proactive awareness through e-Mail and SMS
--	---

Reliability and Scalability

Hardened OS
Load sharing with StoneGate Server Load Balancing
Fault-tolerant sessions and disaster recovery with mirrored access points

Remote Device

Applications providing a web interface	Any web enabled device
Applications without fitted web client	Automatically downloads a client suitable for Windows, Mac and Linux OS

System requirements for access client

Operating system

Microsoft Windows 2000 Professional (SP4)
Microsoft Windows XP Home Edition (SP1, SP2)
Microsoft Windows XP Professional (SP1, SP2)
Microsoft Windows 2000 Server (SP4)
Microsoft Windows 2003 Server (SP1)
Microsoft Windows Vista

Apple Mac OS X 10.3.9
Apple Mac OS X 10.4.7

Red Hat Enterprise Linux 3.0

Web Browser

Microsoft Internet Explorer 5.5
Microsoft Internet Explorer 6.0
Microsoft Internet Explorer 7.0
Mozilla Firefox 1.5
Mozilla Firefox 2.0

Safari 1.3.2 (Mac OS X 10.3.9)
Safari 2.0.4 (Mac OS X 10.4.7)
Mozilla Firefox 1.5, Mozilla Firefox 2.0

Mozilla Firefox 1.5, Mozilla Firefox 2.0

Client Device Security Assessment

Client Integrity Scan	File information Registry information Process information Windows user information Windows domain information Network interface information UDP port information TCP port information
Session trace removal	Web browser cache removal Web browser history removal Web browser cookie removal Removal of downloaded files
Secure ActiveSync	Secure updates for email and calendar in Microsoft Exchange environment

Management

System Monitoring	View System Status View Logs Manage Logs Manage Alerts Generate Reports
System Management	Configure global settings for <ul style="list-style-type: none">• Access Points• Policy Services• Authentication Services• Notifications and SMS distribution Provides tools for adding, editing and removing <ul style="list-style-type: none">• Services• Certificates• Authentication methods• RADIUS back-end servers and clients
Accounts and Storage Management	Lists and manages user groups. Displays registered user storage locations Provides wizards for adding user accounts, user groups and storage locations Enables management for global default settings for all registered user accounts
Resource Access Management	Uses the wizards to add Web and tunnel resources All registered resource hosts and paths can be edited or deleted with this service